



# APPLICATION FOR OPEN AIR BURNING

PERMIT # \_\_\_\_\_  
(YY,MM,DD- STN#)

## Note to Applicant:

1. Open Air Burning is regulated by Division B, Sentence 2.6.3.4. (1) of R.S.O. 1997, Reg. 213/07.c.4., as amended by the Ontario Fire Code.
2. Read and complete all particulars of the application including a sketch. Sign and return to the respective municipal Service Centre or Fire Official. Confirmation will be given to you by the Fire Official prior to burning.
3. Allow 7 (seven) days for processing.
4. **THIS APPLICATION IS VALID FOR A MAXIMUM OF TWELVE (12) MONTHS AT THE DISCRETION OF THE APPROVING FIRE OFFICIAL.**

---

## Part #1

1. Applicant's Name: \_\_\_\_\_  
Name of Responsible Party: \_\_\_\_\_
2. Address: \_\_\_\_\_  
\_\_\_\_\_
3. Phone and/or Fax Numbers: Phone: \_\_\_\_\_  
Fax: \_\_\_\_\_
4. Describe location of proposed fire (must also provide sketch):  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_
5. 911 Address / Street Address: \_\_\_\_\_
6. Describe proximity of proposed fire in feet or metres:
  - buildings \_\_\_\_\_
  - vegetation \_\_\_\_\_
  - overhead wires \_\_\_\_\_
  - other combustibles \_\_\_\_\_
7. Describe material to be burned:  
\_\_\_\_\_  
\_\_\_\_\_
8. Estimate volume of material to be burned in cubic yards or cubic metres: \_\_\_\_\_  
Largest Pile size in metres: \_\_\_\_\_
9. Request taken by: \_\_\_\_\_ Date: \_\_\_\_\_
10. Request approved: \_\_\_\_\_ Denied: \_\_\_\_\_ Date: \_\_\_\_\_  
Fire Official: \_\_\_\_\_

I have read and understand the conditions in Part 2 overleaf:

\_\_\_\_\_ Date: \_\_\_\_\_

**It is the responsibility of the applicant to contact the Chatham-Kent Central Fire Dispatch at 519-352-1100 with both the permit # and the time of fire prior to commencing burning and after the fire is extinguished!**

## **Part #2**

### **Conditions and Recommendations**

1. Pursuant to Division B, Sentence 2.6.3.4.(1) of Ontario Regulation 213/07, conditions of approval for Open Air Burning are as follows:

- Burn only after sunrise and before sunset.
- Burn only dry materials. Petroleum products, plastics, rubber, painted/treated lumber or anything else that will cause excessive smoke or fumes must not be burned.
- Mixed demolition or construction debris is not suitable for Open Air Burning.
- Burn less than \_\_\_ cubic metres of material at a time.

**(NO INDIVIDUAL FIRE CAN BE LARGER THAN THE QUANTITY NOTED ABOVE)**

- Keep fires a minimum of 15metres □ , 30 metres □ or 45 metres □ from any building, property line, hedges or combustibles.
- An area of 5 metres □, 10 metres□ or 15 metres □ clear of vegetation around the pile to be burned.
- Stay with the fire at all times until it is completely extinguished.
- Adequate equipment and resources must be available at the burning site to extinguish the fire, in the event the fire gets out of control or is causing an adverse effect.
- Open Burning must not be conducted under the following weather conditions:
  - during rain or fog (smoke cannot disperse properly)
  - when wind speeds are higher than 30 kph or wind direction changes frequently (fire may spread rapidly)
  - during extremely dry or adverse conditions

### **NOTE:**

***The above are recommended by Ministry of Environment & Energy and the Chatham-Kent Fire Department.***

SKETCH :

